FERRIS FENCING

2018 Catalogue

- Equi-Star ElectroRope & ElectroTape Permanent & Portable Electric Systems
- Wide selection of Fence Controllers
- Original Power Probe Fault Finder, Testers & Monitors
- Electric Nets for Sheep, Hogs, Goats, Poultry and Predator Control
- Bear Control for Beehive Protection
- Portable Posts
- PastureLine & Accessories
- HorseRail/PonyRail/ HorseCote/HotCote
- Vinyl Post & Rail
- No Climb/Diamond Mesh
- Woodguard
- Gates & Accessories
- Gripples, Wire Vises & Tensioning Tools
- General Farm & Wildlife
- Vineyard/Orchard
- Aquaculture
- Poultry Supplies

Top Quality Products & Innovations

Prompt Service!

info@ferrisfencing.com

www.ferrisfencing.com

1-800-665-3307

Ferris Fencing Inspired By Their Horses For Over 30 Years

Proudly Serving Canadian Agriculture Vineyards/Orchards, Horticulture and Aquaculture

1-800-665-3307

www.ferrisfencing.com **info@ferrisfencing.com**

430 Grovehill Rd
Qualicum Beach, BC
V9K 2A3

We Ship Anywhere

TEL: 250-757-9677
FAX: 250-757-9670

F.O.B Qualicum, BC (Unless otherwise specified)
PRICES IN CANADIAN DOLLARS (Unless otherwise specified) APPLICABLE TAXES NOT INCLUDED
Ferris Fencing disclaims responsibility for use or misuse of any products described in this Price List, Website, Brochures, and any losses incurred through the use of the products. All products should be used according to the manufacturer's instructions.
Return Policy – 10% Restocking Fee
All returns must be made within 15 Days
CREDIT ONLY
January 2018
Prices subject to change without notice. E.&O.E.

VISA MasterCard e-Transfer

PastureLine

2312 ft. Spool
4mm "No Wire" Polymer Horse Fence
Available in White or Black

Revolutionary Fencing Providing Visibilty
Durability & Aesthetic Appeal



Vinyl Post & Rail

Lifetime Warranty

Low Maintenance & Durable

Enhances the Appearance & Value Of Your Property



Rail Fence Connector

Available in Pale Green or Black

High Density Polyethylene - Will Not Discolour
Withstands a weight or force of 1950 lbs.
Conforms to both the curve of the post & rail
Fits 3-4" rails & 4-6" posts

No Climb 2"X4"

100 or 200 ft. rolls available in 48" & 60" high
100 ft. rolls available in 72" high
Class 3 Galvanizing with Knotted Joints
Also Available in Black

Diamond Mesh



165 ft. rolls available in 50" & 58" high

No Climb & Diamond Mesh FOB: Toronto, Winnipeg, Calgary, Edmonton, Vancouver & Qualicum, BC
(Free shipped to central depot at above locations for orders over $1500.00

HORSERAIL

660 ft. roll

30 Year limited manufacturers warranty

4" Wide with 2 Wires
5" Wide with 3 Wires

Special Order

PONYRAIL

750 ft. roll

12 Year limited manufacturers warranty

1"Wide with 2 Wires

HORSECOTE

1320 ft. roll

20 Year limited manufacturers warranty

5/16" Diameter

All Products Available in White, Brown or Black

ACCESSORIES – SPECIAL ORDER

4" Flat Line Bracket 5" Flat Line Bracket		For Installing fence in most situations
4" Split Spooler Tensioner 5" Split Spooler Tensioner		Simple & economical way to tension the rail
4" Pre-Bent End Buckle 5" Pre-Bent End Buckle		Strong low maintenance solution for attaching rails to end posts.
4" 90 deg. Corner Bracket 5" 90 deg. Corner Bracket		Allows 90 deg. turn while keeping posts on the outside.
4" T-Buckle 3-Way 5" T-Buckle 3-Way		Designed to be used at T-junctions as an alternative to attaching buckles & post brackets
4" Splicer Buckle 5" Splicer Buckle		Eliminates the hassles of joining rails & attaching them to end posts
4" Bending Tool 5" Bending Tool		Perfect tool for bending your Horserail to the optimum shape & dimension
1" Pony Rail Metal Bracket		

HOTCOTE

1320 ft. roll

20 Year limited manufacturers Warranty

5/16" Diameter

Highly Conductive Carbon Compound, High Tensile Wire, Long Life, UV Rated Non-Conductive Medium Density Polyethylene.

ACCESSORIES

PLEASE REFER TO PAGE 14 FOR RECOMMENDED LINE INSULATORS: 44 1396 & IWTPLB-Z. PLEASE REFER TO PAGE 5 FOR MORE ACCESSORIES

Pinlock Corner Collar

White or Black

Fits perfectly on to any wood post to make insulating around corners a breeze. Durable uv-resistant plastic. Collar holds most sizes of wire including large dia. rope.

WIRE, PASTURELINE & HORSERAIL PRODUCT ACCESSORIES

QUICK-END



SIZE 5064
(8-9 ga. & PastureLine)

SIZE 5062
(10-11 ga.)



SIZE 5058
(12-13 ga. & Horsecote)

SIZE 5056
(13-16 ga. & Ponyrail

QUICK-SPLICE

SIZE 5065
(8-9 ga. & PastureLine)

SIZE 5059
(12-13 ga. & Horsecote)

SIZE 5057
(13-16 ga. & Ponyrail



TENSIONING TOOL

Revolving head adjusts to suit all gauges of wire including PastureLine.



WIRE GRIPPER

Grips PastureLine & all other gauges of wire. Use with a come-along.

EASY-LOOP CONNECTOR

CWTW White
CWTBR Brown
CWTBL Black



12-13 ga., Horsecote & Hotcote

Simple way to terminate coated wire or to build brace assemblies.

GRIPPLES

SMALL
14-19 ga.



MEDIUM
10-14 ga.

BARBED
12.5 ga.

LARGE
7.5-10 ga. & PastureLine

TORQ GRIPPLE TENSION TOOL

Ideal for all Gripples. Lightweight & compact.

CONTRACTOR GRIPPLE TENSION TOOL

Metal construction is strong, robust & suitable for everyday use.

IN-LINE STRAINER

Use to tension fence wire.

INSULATED IN-LINE STRAINER

Ideal for tensioning Hotcote & Wire.

CRANK HANDLE

Use with In-line Strainers to increase tension.

CRIMP SLEEVE LONG GRITTED

Use with12.5 ga. High Tensile Wire. (100/Jar)

CRIMP TOOL

4 Hole model. Use with 9-16 ga. wire.

KNIPEX TOOL

Designed for cutting high tensile steel wire

FENCE PLIERS

Top quality & reliable

TENSION CURVE TOOL

Bends wire to add Tension.

WIRE TWISTER

Make neat spiral wraps.

1½" GALV. BARBED STAPLES

10 lb Pail
30 lb Pail
50 lb Pail

STAINLESS STEEL SCREWS – 1 ¾"

SPINNING JENNY

Adjustable brake. Accommodates most coil diameters.

OPTIONAL REWIND HOOP

Rewind Hoop shown Installed.

TEMPERATURE EQUALISATION SPRING

Eases strain on wire & corner posts.



12.5 Ga. GALV. SMOOTH WIRE

High Tensile Steel.
200 ft. Coil
100 lb. Spool

HIGH TENSILE STEEL WIRE – HEAVY GALVANIZED FARM & GAME/WILDLIFE FENCE

12.5 ga. Hinge Lock & Solid Lock (14.5 ga. available in 32", 39" & 47" High) 3 times as strong as regular farm fence
Fewer fence posts required (16-22' spacings suggested)
330 FT. ROLLS

WEDGE-LOC – Bracing Hardware for T-Posts. Turns T-Posts into Braces.
For Permanent & Temporary Fences. Installs In Minutes!
Fits all T-Posts! Quick & Easy To Use!


COLLAR

90° SOCKET

60° SOCKET

WEDGE

Corner/In-line Brace Kit	(Incl. – 3 Collars, 3 Wedges & 4 60° Sockets)	Part #205
Single Diagonal Brace Kit	(Incl. – 2 Collars, 2 Wedges & 2 60° Sockets)	Part #208
Single Horizontal Brace Kit	(Incl. – 2 Collars, 2 Wedges & 2 90° Sockets)	Part #209
Gate Hinge Kit	(Incl. – 1 Pair of Gate Hinges)	Part #115

(Can be used to hang a gate on a T-Post, Round Pipe Post or a Wooden Post)



PART #205



PART #208



PART #209

Poly Tape Install Shown Above

HIGH TENSILE STEEL GALVANIZED GATES

Gates come complete ready to hang



Pipe Galv. 50" High

Graduated Galv. Mesh 52" High

2"X4" Galv. Mesh 52" High

2"X4" Black Mesh 52" High

6"X8" Mesh 72" High

KIWI LATCH **Non Spring**
Incl. Quick Link & Staple
Simple to use – one hand operation

QUICK LINK



All Gates come in 4, 6. 8, 10, 12, 14, 16 Ft. Lengths

ELECTRIC FENCE CONTROLLERS

DUAL-PURPOSE & UNIGIZER LOW IMPEDANCE

12 V Battery, 110 V Plug In & Solar Compatible
(Battery & Solar Panel not Included)
(Power adaptor & battery lead set are included)

Solar Option

Made in Germany

DEFENDER DUAL-PURPOSE		Output Max (J)
D10	20 Miles	1.0 J
D20	40 Miles	2.0 J
D30	60 Miles	3.0 J
D65	110 Miles	6.5 J

POWERFUL & TOP QUALITY Comparable Models Retail for over $800.00

SPEEDRITE UNIGIZER

3000	30 Miles	3.0 J

PORTABLE LOW IMPEDANCE

3-options: 4 - D-Cells batteries internally or 6, 9 or 12 V battery externally
(Batteries not included)

AN90	1.25 Miles	0.12 J

(Optional tread in ground rod stand)
PBTS

SUN POWER SOLAR LOW IMPEDANCE

S180	4 Miles	0.18 J

(Includes integrated 12 V gel battery)

S550	15.5 Miles	0.55 J

(Includes integrated 12 V gel battery)

Made in Germany

SOLAR ACCESSORIES

Batteries

SB3ZR	3 Mile
S550RB	15 Mile

All Fence Controllers include a **24 Month Warranty** from the date of purchase with receipt – includes damage from lightning.

Detailed installation & grounding instructions are included with every fence controller.

FERRIS FENCING'S OWN LINE OF ULTIMATE DEFENCE FENCE CONTROLLERS!
The **DEFENDER** uses the latest electric fencing technology. This simple yet versatile unit can be used for permanent fencing with the 110V mains adaptor or portable fencing with a 12V battery (includes stainless steel clamps for 12V system). LED indicator lets you know if your energizer is working.

The **D65** is a high-capacity power supply unit with intelligent power adjustment. Very low power consumption in normal operating mode, making it very economical thanks to AKOtronic pulse technology, & more secure for animals even when vegetation is thick. Two illuminated digital displays for output voltage & condition of grounding. Two fence outputs (high/low). Information centre also gives you state of battery.

The flexible **SPEEDRITE UNIGIZER** indicator lights show output voltage & battery condition for quick identification of any problems. Adjustable pulse speed for improved battery conservation. Day/Night sensor allows you to set fast or slow night functions for flexible stock control & energy saving.

The portable **AN90** provides a practical solution for strip grazing and small electric fence systems. Clips directly onto fence wire for added convenience, on/off switch, fast and slow options and simple set up. Optional tread-in ground rod stand.

SOLAR models once fully charged, the battery can maintain a charge for up to 2 weeks, even in cloudy or rainy weather, making them ideal for remote conditions. The powerful **SUN POWER SOLARS** include battery charger to charge during the winter months and connector cable for fence and ground connection.

LOW IMPEDANCE models utilize special circuitry & transformers to maintain high energy levels on the fence. Effective in moderate to heavy weed conditions & are ideal for longer, multi-strand poly wire, tape, rope or high tensile fence systems. Use for all animals including predators.

ELECTRIC FENCE GROUNDING SYSTEM



Why Is Grounding Important?

If the ground system is insufficient, electricity cannot find a path to the fencer and little or no shock is given. An animal provides this path when it touches the fence wire and the earth simultaneously. The electricity then passes through the animal into the soil and back to the ground rods, which are connected to the ground terminal of the fence controller. Only then is the circuit completed and the animal receives an electrical shock.

A Install the controller in a building or weatherproof area. Solar fence controllers should be mounted outside, facing the equator for maximum sun exposure.

B Drive three 6' or 8' ground rods into moist soil about 10' apart and at least 50' from other electrical grounds. If the soil is dry or subject to freezing part of the year, additional ground rods spaced 10' apart may be needed.

C Connect the "ground" terminal on the fence controller to the ground rods with insulated wire and ground rod clamps.

D Connect the "fence" terminal on the controller to the fence wire using insulated wire.

Detailed installation and grounding instructions are included with every electric fence controller.

GROUND ROD KIT
(3-5 ft. Ground Rods, 3 Ground Rod Clamps, 1-30 Meter Roll Insulated Connection Cable)

GROUND ROD CLAMP
5' GROUND ROD
7' GROUND ROD
5' GROUND ROD & CLAMP
7' GROUND ROD & CLAMP
Galvanized Ground Rods and Clamps

INSULATED CONNECTION CABLE
Ideal lead out cable to fence, linking ground rods and for under gateways

15 METER ROLL (50 FT)
30 METER ROLL (100 FT)
76 METER ROLL (250 FT)

ELECTRIC FENCE ACCESSSORIES

JOINT CLAMP
Galvanized 441225
Stainless Steel CBTPSS
Use to connect wires.

LIGHTNING PROTECTION 449602/011
Assembles onto fence post. Protects fence controller from overvoltage by lightning contact with the fence system. Channels the overvoltage directly into the ground.

WARNING SIGN 44624-FF
Made of durable plastic. 10" x 5"

WARNING FLAG (10/bag)
Yellow FWF10
White WFWF10

CUTOFF SWITCH COS1
Turns electric fence on & off at convenient locations.

ON/OFF SWITCH 44607/011
Eliminates turning off the whole system & enables you to work on a fence area.

CROCODILE CLIP 44606/011
Metal eye, 100 cm of lead, stainless steel.

CROCODILE 2 CLIP 441608/011
Ideal on/off device. 60 cm of lead, stainless steel.

INSUL TUBE
8mm X 30m (100 ft.) BLACK
Ideal for covering 12.5 gauge brace wire & also to sleeve through or attach to post to insulate poly wires, poly ropes and hotcote wire.

ELECTRIC FENCE ACCESSORIES CON'T.

THE ORIGINAL FAULT FINDER

POWER PROBE II
The Ultimate Diagnostic Tool For Electric Fence
Waterproof & impact resistant case.
Low battery indicator. Incl. 9V Battery.
Clearly indicates the direction of the fault & leads you quickly to it. No wires or clips means no tangles or shocks. Simple to use - one touch operation. 12 Month Guarantee.

FENCE ALERT F1A
Starts working when
Your fence stops.

SIGNAL LIGHT 441223
Flashes with every fence
Impulse. Under 3000 V
light stops flashing.
Does not require batteries.



FENCE TESTER AKO 441221
6 lights indicate voltage levels from 1000V-10,000V.
No batteries required.

FENCELINE TESTER 44669
LED low voltage & low battery indicator. Incl. standard 9V battery.
Reads up to 8000V. No ground probe.

DIGITAL VOLT METER 441228
Reads up to 9,900V.
Incl. standard 9V battery.

SPEEDRITE CORRAL KIT
Ideal for trail riding, horse shows, etc. Quick & easy setup. Create a larger temporary corral with this portable electric fence kit.

- Incudes 12 tread-in posts
- 660' of ½" poly tape
- AN20 fence charger
- Tread-in post battery stand that doubles as ground rod
- No-kick gate handle & carrying case

SUPER REEL 44267
Hardwearing plastic reel (replaceable) w/ locking pin. Comes complete with mounting device & able to hang on fence. Capacity for about 1000m poly wire & 600m poly tape.

SUPER REEL W/SUPPORT 44270
Hard wearing plastic reel (replaceable) w/ locking pin. Complete with metal support & harness for fence installation. Capacity for about 1000m poly wire & 600m poly tape.

COMPACT REEL 44296
Impact-proof plastic. Special eye for well directed wire routing. Heavy-steel crank arm. Galvanized carry handle for manual use or for clipping into portable reel system. Locking ratchet. Capacity for up to 600m poly wire & 200m poly tape.

JUMBO REEL W/SUPPORT 441270
Extra wide design with locking pin. Capacity for about 2000m poly wire or 1200m poly tape.

SPARE REEL 44271
Changeable reel for Super Reel 44267 & 44270

GEARED REEL 3:1 44280
Save time by 3-way transmission. Impact proof plastic. Special eye for well-directed wire routing. Heavy-steel crank arm.
Capacity for up to 600m poly wire & 200m poly tape.

EURO REEL 441040
High quality compact reel w/locking ratchet. Complete with mounting device for hanging on fence wire. Capacity for up to 500m poly wire & 200m poly tape.

PORTABLE REEL SYSTEM FOR TEMPORARY FENCING

MULTI POST **44299**
165 cm & holds up to 4 Compact Reels 44296

MOUNTING BRACKET **44298**
For Use with Compact Reels 44296

Please refer to pages 13, 14, & 15 for these insulators

Use Multi Post for corner & gate systems

PORTABLE POSTS FOR ELECTRIC FENCE

TITAN PLASTIC POST WITH DOUBLE SPIKE

5 ft WHITE 441807 5/pkg

Highly impact- resistant, high-grade plastic. Suited for sub-zero temperatures. Moulded in insulators for Poly Strands, Ropes & up to 1½" Poly Tape. High stability with special honeycomb structure. Galvanized Spikes.

PLASTIC POST WITH STEP-IN STIRRUP

5 ft. WHITE 444180 5/pkg
5 ft. GREEN 44418 5/pkg
Easily driven into the ground because the stirrup is positioned directly above the spike. Accommodates all common tapes, ropes & poly wires. Fibreglass reinforced. Galvanized Spike.

CLASSIC TREAD IN PLASTIC POST

4 ft. WHITE 443492 5/pkg
Moulded in insulators for Poly Strands, Ropes & up to 1½" Poly Tape. Reinforced for increased stability. Galvanized Spike.

PLASTIC POST ECO

28" GREEN 4418102 5/pkg
Moulded in insulators for Poly Strands, Ropes & up to ¾" Poly Tape. High stability through additional longitudinal struts. Ideal for garden protection. Galvanized Spike.

PIGTAIL POST



3 ½ ft WHITE 44456 10/pkg
Posts for cattle husbandry, proven for decades. Double Prong.

FIBREGLASS POSTS 3/8"

4 ft GREY FRP48 20/bdle
5 ft GREY FRP60 20/bdlle
(Insulator not included)

John's Fencing Tip: For Semi Permanent fencing use T-Posts or Wood Posts at your Gateways, Corners, Starts & Finishes & any of the above **Portable Posts** in between for a simple & economical install!

POLY ROPE INSTALL

POLY TAPE INSTALL



POLY STRANDS & ROPE

High Quality * High Strength * More Twist * High Conductivity * High Visibility * Ultra Violet Stabilized

Only high quality virgin high density polyethylene & stainless steel wire is used to produce this long lasting electric fence wire. Ideal for strip or rotational grazing & used on permanent fences as fence protection.

POLY SHOCK * Classic 2.5mm * 6 Stainless Steel Conductors

200m (656')	Brown	441949
200m (656')	White	R2GW
500m (1640')	White	R5GW

POLY ROPE * 6mm * 6 Heavy Duty Stainless Steel Conductors

200m (656')	White	44858
200m (656')	Brown	441947
200m (656')	Black	441948

TOP QUALITY

ELECTRIC BUNGY ROPE * 8mm * Stretches to more than double its original length

Per Ft.	White	GBFT
100m (330')		

Please see page 13 & 14 for a wide variety of insulators & accessories for Poly Strands & Rope



Super Corner Screw In



Ring Insulator for Rope

Get a stunning installation by using simple to install accessories!



Gate Handle Insulator & Quick Rope/ Polywire Connector

Gate Handle with Quick Rope/ Polywire Connector

Electric Bungy Gate Option for Poly Strand & Rope Install

Designed to stay off the ground while the gate is open!

Eliminates getting shocked while going through gateways!

Materials Required:

PLEASE REFER TO DIAGRAM AT BOTTOM OF PAGE 12

(a) *Electric Bungy Rope – stretches to more than double its original length. (See Above)*

(b) *Tube Clamps or Ring Insulator with Metric Screw – Recommend 2-4 depending on length of gate. (Please see Page 14)*

**Please note if using Ring Insulator with Metric Screw-Fastening Clamp for Round Post would be required* (page 14)*

(c & d) *2 Gate Handle Insulators or 1 Vario Gate Handle Insulator (2 Quick Rope/Polywire Connectors would be required for either insulator). (Please see Page13)*

(e) *1 Heavy Duty Gate Handle w/Quick Rope Connector. (Please see Page 13)*

(f) *1 Quick Rope/Poly Wire Connector. (Please see Page 13)*

Picture shown using Tube Clamp & Gate Handle Insulators.

POLY TAPES

High Quality * High Strength * High Conductivity * High Visibility * Ultra Violet Stabilized

Excellent conductivity & durability. Thick polyethylene fibres for strength, quality & longevity.

½"	Wide	6 Stainless Steel Conductors	200m (656')	White	533-500
			400m (1320')	White	533-501
¾"	Wide	6 Stainless Steel Conductors	200m (656')	White	44551-S
1 ½"	Wide	13 Stainless Steel Conductors	200m (656')	White	44554-S
1 ½"	Wide	13 Stainless Steel Conductors	200m (656')	Brown	44553-S
1 ½"	Wide	13 Stainless Steel Conductors	200m (656')	Black	44552-S
1 ½"	Wide	7 Stainless Steel Conductors	200m (656')	Green	44556-S

Please see page13&15 for a wide variety of insulators & accessories for Poly Tape.

"We have the expertise & products to help you get your install complete & right the 1st time!"



Euro Clamp



Maxi Tape Wood Post Screw-In

Get a stunning installation by using simple to install accessories!



Gate Buckle w/Hole



Litzclip Handle Connector

Electric Bungy Gate Option for Poly Tape Install

Designed to stay off the ground while the gate is open!

Eliminates getting shocked while going through gateways!

Materials Required:

- **(a)** *Electric Bungy Rope – stretches to more than double its original length. (Please see Page 11)*
- **(b)** *Tube Clamps or Ring Insulator with Metric Screw – Recommend 2-4 depending on length of gate. (Please see Page 14)*
  **Please note if using Ring Insulator with Metric Screw-Fastening Clamp for Round Post would be required* (page 14)*
- **(c & d)** *2 Gate Buckle with Hole and 2 Euro Clamps. (Please see Page 13 & 15)*
- **(e)** *1 Heavy Duty Gate Handle w/Quick Rope Connector. (Please see Page 13)*
- **(f)** *1 Quick Rope/Poly Wire Connector. (Please see Page 13)*



TIP: Bring Insulated Connection Cable from Fence Controller into Gate Buckle with Hole by using a Joint Clamp (Page 8)



INSULATORS FOR POLY STRANDS, ROPE & WIRE CON'T

STRAIN/CORNER INSULATORS

Strain/Corner	BLACK	**ICB-Z**	10/bag	
HD Strain/Corner	BLACK	**44335**	25/bag	
Corner Screw-In	BLACK	**44330**	25/bag	
Super Corner Screw-In	BLACK	**441330**	10/bag	
Super Corner Screw-In w/metric thread	BLACK	**441360**	10/bag	

POLY STRAND, ROPE & WIRE ACCESSORIES

Rope Connector	STAINLESS	**44540**	Per Piece	
	GALVANIZED	**44535**	Per Piece	
Quick Rope/Polywire Connector	GALVANIZED	**441209/041**	4/pkg	
Gate Handle Insulator	GALVANIZED	**441248**	10/bag	
	STAINLESS	**44254**	10/bag	
Gate Handle Insulator w/metric thread	GALVANIZED	**442141**	10/bag	
Vario Gate Handle Insulator	STAINLESS STEEL	**44237/021**	2/kit	
Vario Gate Handle For T-Post	STAINLESS STEEL	**446516**	3/kit	
Twist Tight	BLACK	**PWT6**	6/bag	

GATE HANDLES

Plastic Gate Handle	BLACK	**GHPB-Z**	Per Piece	
HD Gate Handle	BLACK	**44941**	Per Piece	
	STAINLESS	**44944**	Per Piece	
HD Gate Handle w/Quick Rope Connector	BLACK	**44948**	Per Piece	
Spring Gate Kit Comes Complete w/2 Gate Handle Insulators	BLACK	**44945/011**	1/kit	

GATE HANDLE ADAPTORS FOR POLY TAPE

¾" Litzclip Handle Connector	STAINLESS	**442006/041**	4/pkg	
1½" Litzclip Handle Connector	STAINLESS	**442007/041**	4/pkg	
Gate Buckle with Hole Euro Clamp Not Included	STAINLESS	**443453**	Per Piece	

INSULATORS FOR POLY STRANDS, ROPE & WIRE

WOOD POST INSULATORS

Also can be screwed on to vinyl or metal posts

Wood Post	BLACK	**RS25N**	25/bag	
Wood Post Extender 5”	BLACK	**IW5XNB-Z**	25/bag	
Nail-On Economy	BLACK	**44361**	100/bag	
Heavy Duty Euro Cord	BLACK	**441396** **441396/201**	10/bag 20/pkg	
Wood Post Pinlock	BLACK	**IWTPLB-Z**	25/bag	
Ring Insulator for Rope	BLACK	**443279**	25/bag	
Offset 9” Ring Insulator for Rope	BLACK	**44310**	10/bag	TOP SELLER
Ring Insulator Tool	METAL	**815042**	Per Piece	
Wrap Insulator	BLACK	**441381**	25/bag	
Side Fixing Pigtail 10 5/8”	WHITE	**150-023**	5/bundle	
Side Fixing Pigtail 16”	WHITE	**44448**	10/bundle	

INSULATORS FOR OTHER TYPES OF POSTS

Round Post	YELLOW	**SF25RP**	25/bag	
T-Post	BLACK	**ITB-Z**	25/bag	
T-Post Ext. 5”	BLACK	**IT5XB-Z**	25/bag	
T-Post Ring	BLACK	**441180**	25/bag	
T-Post Cap	BLACK	**441267**	10/bag	
T-Post Universal Adaptor Kit *Accommodates insulators with M6 metric thread or with 6mm diameter hole.*	GALV	**44790**	2/kit	
Ring Insulator-80mm w/metric thread *Fits into Fastening Clamp below & is ideal for any metal post. Can also be used with T-Post Adaptor Kit.*	BLACK	**44324**	Per Piece	
Fastening Clamp f/Round Posts	BLACK	**441276**	Per Piece	
Tube Clamp	BLACK	**TC10**	10/bag	
Tube Post	BLACK	**3359**	10/bag	
Chain Link	BLACK	**816065**	25/bag	

INSULATORS FOR POLY TAPES

WOOD POST INSULATORS

Also can be screwed on to vinyl or metal posts

Poly Tape Wood Post	BLACK	**441391**	25/bag	
Heavy Duty Claw Tape	BLACK	**44340**	10/bag	
6" Poly Tape Wood Post Extender	BLACK WHITE	**PT25WPX** **WPT25WPX**	25/bag	
Maxi Tape Wood Post Screw-In	BLACK	**441390**	25/bag	
Screw Bit f/Ring & Maxi Tape Insulators	RED	**441363/011**	Per Piece	
8" Poly Tape Wood Post Ext. Screw-In Screw-In	BLACK	**150-026**	10/bag	

INSULATORS FOR OTHER TYPES OF POSTS

Poly Tape Round Post	BLACK	**IRTB-Z**	25/bag	
Poly Tape T-Post	BLACK	**ITTB-Z**	25/bag	
6" Poly Tape T-Post Extender	BLACK	**PT25TPX**	25/bag	
T-Post Cap	BLACK	**441267**	10/bag	

POLY TAPE ACCESSORIES

Euro Clamp *Universal all in one – end, corner, 3 way tensioning insulator*	BLACK	**44350**	10/bag	
Premium Tape Tensioner *Simple to add on to existing fence systems.*	BLACK	**44578**	10/bag	
Tape-To-Tape Joiner *Trouble free connection between poly tapes*	STAINLESS	**44616/011**	1/pkg	
Fenceline Connector *Connect into Tape-To-Tape joiner to electrify additional bands.*	STAINLESS	**44617/011**	1/pkg	
Poly Tape Joiner ¾"	STAINLESS	**44595**	10/bag	
Poly Tape Joiner 1 ½"	STAINLESS	**44596**	10/bag	
Tape Connector	GALV	**44345**	Per Piece	

ELECTRIC NETS

Double prong step-in posts are built into the netting every eleven feet to provide stability & ease of installation. Each post has a moulded top enabling the post to be easily moved to a new position in the net when necessary. All nets include repair kit & four corner stakes. All nets are manufactured with graduated vertical spacing, which means the horizontal lines are spaced tighter at the bottom & farther apart at the top to provide extra security & superior predator control. Stainless steel conductors for durability. 1-non electrified bottom twine.

TITAN NET

42" High X 164' Long
9 Electrified Horizontal Lines



POULTRY NET

45" High X 164'
11 Electrified Horizontal Lines



Also Available in 82' Lengths

RABBIT/CRITTER NET

26" High X 164'
9 Electrified Horizontal Lines



Also Available in 82' Lengths
292216 Green Single Prong

Our most popular Nets!
Normal rainfall areas
(All horizontal lines electrified)

292214 Green



BEAR POSI/NEG

40" High X 50'
12 Electrified Horizontal Lines



SEMI RIGID VERTICALS



SPARE POSTS AVAILABLE